



## Index

**To cite this article:** (2002) Index, *Pharmaceutical Biology*, 40:8, 623-646, DOI: [10.1076/phbi.40.8.623.14649](https://doi.org/10.1076/phbi.40.8.623.14649)

**To link to this article:** <https://doi.org/10.1076/phbi.40.8.623.14649>



Published online: 29 Sep 2008.



Submit your article to this journal 



Article views: 389



View related articles 

VOLUME 40 • DECEMBER 2002 • ISSN 1388-0209

# PHARMACEUTICAL BIOLOGY

EDITOR IN CHIEF: JOHN M. PEZZUTO

SWETS & ZEITLINGER  
PUBLISHERS

## PHARMACEUTICAL BIOLOGY

*Pharmaceutical Biology* seeks manuscripts dealing in any aspect of pharmacognosy, particularly those that detail the biological activity of crude extracts, the isolation of bioactive compounds from plants or other topics of interest to pharmacognosists. Manuscripts will only be considered for publication if the information contained in the articles has not been previously published and is not being considered for publication elsewhere.

### Editor in Chief:

*John M. Pezzuto*, School of Pharmacy, Heine Pharmacy Building, Room 104, 575 Stadium Mall Drive, West Lafayette, IN-47907-2051, U.S.A.

### Associate Editors:

*Nina L. Etkin*, Department of Anthropology, University of Hawaii, Honolulu, Hawaii, U.S.A.; *Chun-Tao Che*, School of Chinese Medicine, The Chinese University of Hong Kong, Hong Kong; *Shinji Funayama*, Department of Bioscience & Biotechnology, Aomori University, Aomori, Japan; *David Gurwitz*, Sackler Faculty of Medicine, Tel-Aviv University, Israel; *Kurt Hostettmann*, Institute for Pharmacognosy and Phytochemistry, University of Lausanne, Lausanne, Switzerland; *Peter Houghton*, Department of Pharmacy, King's College, London, U.K.; *Gail Mahady*, College of Pharmacy, University of Illinois, Chicago, U.S.A.; *Vichai Reutrakul*, Department of Chemistry, Mahidol University, Thailand.

### Contributing Editors:

*Norman R. Farnsworth*, College of Pharmacy, University of Illinois at Chicago, U.S.A.; *Djaja D. Soejarto*, College of Pharmacy, University of Illinois at Chicago, U.S.A.

### Book Review Editor:

*Pedro Chavez*, Midwestern University, College of Pharmacy Glendale, 19555 North 59th Avenue, Glendale, AZ 85308, U.S.A.

### Managing Editor:

*Carol Lewandowski*, College of Pharmacy, University of Illinois at Chicago, U.S.A.

### Editorial Review Board:

*Robert Anton*, Faculty of Pharmacy, University Louis Pasteur, Strasbourg, France; *Rudolf Bauer*, Institute for Pharmaceutical Biology, University of Dusseldorf, Germany; *Il-Moo Chang*, National Products Research Institute, Seoul National University, South Korea; *Desmond Corrigan*, Department of Pharmacognosy, University of Dublin, Ireland; *Farouk S. El-Feraly*, College of Pharmacy, King Saud University, Riyadh, Saudi Arabia; *Elaine Elisabetsky*, Department of Pharmacology, Institute of Bioscience, Porto Allegre, Brazil; *W.C. Evans*, Colyton, Devon, U.K.; *Mabibir P. Gupta*, Faculty of Natural Sciences and Pharmacy, University of Panama, Panama; *Michel C.F. Koch*, Laboratory of Pharmacognosy, University René Descartes, Paris, France; *Gabriele M. Koenig*, Institute of Pharmacological Biology, University of Braunschweig, Germany; *K.H. Lee*, Natural Products Laboratory, University of NC at Chapel Hill, U.S.A.; *James B. McAlpine*, Phytera, Inc., Worcester, MA, U.S.A.; *James D. McCchesney*, Napro Biotherapeutics, Inc., Boulder, CO, U.S.A.; *Jerry L. McLaughlin*, School of Pharmacy and Pharmacal Sciences, Purdue University, West Lafayette, U.S.A.; *G.H.N. Towers*, Department of Botany, University of British Columbia, Vancouver, Canada.

### Manuscript Submission

Manuscripts (four copies), illustrations and all communications relative to them should be addressed to the Managing Editor, Carol Lewandowski, PB Editorial Offices, 833 S. Wood St., (m/c 877), Chicago, IL 60612-7231, U.S.A.

Publication programme 2002: Volume 40 (8 issues + 1 supplement).

### Subscription price and ordering information

#### Access to Online Subscription

The institutional subscription prices include access to the online edition, which is available from SZP's PublishersNet. It is also available through, EBSCO Online™, Information Quest™, OCLC and SwetsWise subject to their terms and conditions. The individual subscription price does NOT include electronic access. More information about our online journals is available from [orders@swets.nl](mailto:orders@swets.nl) and [www.szp.swets.nl/szp/journals/pb.htm](http://www.szp.swets.nl/szp/journals/pb.htm)

Institutions: € 899.00/US\$ 997.00 including postage and handling. Individuals (no institutions, libraries, hospitals, etc.) can subscribe at the reduced rate of € 449.00/US\$ 499 including postage and handling. ASP and PSE members can subscribe at a reduced rate. For more information, please contact the publisher. Individuals and members must declare that the subscription is for their own private use, it will not replace any existing institutional subscription, and that it will not be put at the disposal of any library. Subscriptions and requests for specimen copies and back issues should be sent to: Swets & Zeitlinger Publishers, c/o Turpin Distribution Services Ltd., Blackhorse Road, Letchworth, Hertfordshire – SG6 1HN, UK. Tel.: +44 1462 672 555; Fax: +44 1462 480 947; E-mail: [subscriptions@turpinltd.com](mailto:subscriptions@turpinltd.com); or to any subscription agent.

For advertisements, back volumes, and other information, please write to Swets & Zeitlinger Publishers, P.O. Box 825, 2160 SZ Lisse, The Netherlands. Fax: +31-252-435447.

Microfilm or Microfiche editions of this journal are available from Swets & Zeitlinger, Backsets Department, P.O. Box 810, 2160 SZ Lisse, The Netherlands.

**Pharmaceutical Biology** is published eight times a year (February, April, May, June, August, September, October, December, and 1 supplement) by Swets & Zeitlinger Publishers. Subscription price is € 899/US\$ 977.00 = Periodicals Class postage.

Periodicals class postage is paid at Rahway N.J. Postmaster: send address corrections to Pharmaceutical Biology, C/O Mercury Air freight International Ltd. Inc., 2323 Randolph Avenue, AVENEL, New Jersey 07001.

### Photocopying

In the U.S.A.: This journal is registered at the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923.

Authorisation to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Swets & Zeitlinger for users registered with the CCC provided that the base fee of US \$16.00 per copy is paid directly to CCC. For those organisations that have been granted a photocopy licence by CCC a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Service is 1388-0209/02 \$ 16.00.

Authorisation does not extend to other kinds of photocopying, such as for general distribution, for resale, for new publications, for advertising or promotion. For all countries outside of the U.S.A., permission to photocopy must be obtained from the copyright owner. Please apply to Swets & Zeitlinger Publishers.

**Pharmaceutical Biology** is included in the following abstracting, citation, and information retrieval systems: Biochemistry & Biophysics Citation Index™, Biological Abstracts®, BIOSIS Previews®, CAB Abstracts and CAB Health, Chemical Abstracts, CSA Neurosciences Abstracts, Elsevier BIOBASE/Current Awareness in Biological Sciences, EMBASE/Excerpta Medica, International Pharmaceutical Abstracts, Medical & Pharmaceutical Biotechnology Abstracts, Medicinal and Aromatic Plants Abstracts (MAPA), Natural Product Updates, Research Alert®, SciSearch®.

# INDEX VOLUME 40

Editorial .....	1
<i>E.D. Spegazzini, M.T. Castro, S.M. Carpano and M.T. Nájera</i>	
Taxonomic Determination of Therapeutic Argentine Species of <i>Ilex</i> .....	2
<i>N.F. Mir-Babayev and P.J. Houghton</i>	
Plants of the Republic of Azerbaijan with Potential Medicinal Applications. Part III. ....	16
<i>T. Yamazaki, Y. Matsushita, K. Kawashima, Y. Nakajima, Y. Niiho, T. Kurashige and M. Ishizaki</i>	
Influence of Ohta's Isan and its Ingredients on Blood Pressure in Rats .....	23
<i>K.P. Singh and R.S. Jayasomu</i>	
<i>Bombyx mori</i> – A Review of its Potential as a Medicinal Insect .....	28
<i>S. Amos, L. Binda, O.F. Kunle, C. Wambebe and K. Gamaniel</i>	
Uterotonic Properties of the Ethanol Extract of <i>Brysocarpus coccineus</i> .....	33
<i>G.R. Duddukuri, D.N. Rao and R.R. Athota</i>	
Suppressive Effect of Honey on Antigen/Mitogen Stimulated Murine T Cell Proliferation .....	39
<i>J. de Santos Galíndez, A.M. Díaz Lanza and L.F. Matellano</i>	
Biologically Active Substances from the Genus <i>Scrophularia</i> .....	45
<i>W.D. Ratnasooriya, M.G. Dharmasiri, R.A.S. Rajapakse, M.S. De Silva, S.P.M. Jayawardena, P.U.D. Fernando, W.N. De Silva, A.J.M.D.N.B. Nawela, R.P.Y.T. Warusawithana, J.R.C. Jayakody and P.M.C.B. Digana</i>	
Tender Leaf Extract of <i>Terminalia catappa</i> Antinociceptive Activity in Rats .....	60
<i>S. Nacar and A. Ilcim</i>	
Composition of the Essential Oils of <i>Salvia vermicifolia</i> from Turkey .....	67
<i>A. Raskovic, V. Jakovljevic, M. Popovic, A. Sabo and O. Piljevic</i>	
Effect of Methoxsalen and an Infusion of <i>Silybum marianum</i> on Enzymes Relevant to Liver Function .....	70
<i>W. He, L. Van Puyvelde, J. Bosselaers, N. De Kimpe, M. Van der Flaas, A. Roymans, S.G. Mathenga, F.P. Mudida and P.B. Chalo Mutiso</i>	
Activity of 6-Pentadecylsalicylic Acid from <i>Ozoroa insignis</i> Against Marine Crustaceans .....	74
Book Reviews .....	77
Meeting Report .....	80
<i>E.A. Abourashed, J.R. Vanderplank and I.A. Khan</i>	
High-Speed Extraction and HPLC Fingerprinting of Medicinal Plants – I. Application to <i>Passiflora</i> Flavonoids .....	81
<i>L. Lin, S. Qiu, M. Lindenmaier, X. He, T. Featherstone and G.A. Cordell</i>	
Patuletin-3-O-Rutinoside from the Aerial Parts of <i>Echinacea angustifolia</i> .....	92

<i>M.M. El-Domiati, A.M. El-Shafae, M.M. Abdel-Aal and M.M. Abou-Hashem</i>	
The First Report on the Occurrence of Eurofuranoid Lignan Glucosides in Acanthaceae . . . . .	96
<i>U.V. Mallavadhani, G. Sahu, K. Narasimhan and J. Muralidhar</i>	
Quantitative Estimation of an Antidiarrhoeic Marker in <i>Euphorbia hirta</i> Samples . . . . .	103
<i>E. Olatunde Farombi, O.O. Akanni and G.O. Emerole</i>	
Antioxidant and Scavenging Activities of Flavonoid Extract (Kolaviron) of <i>Garcinia kola</i> Seeds . . . . .	107
<i>D. Diallo, C. Sogn, F.B. Samaké, B. Smestad Paulsen, T.E. Michaelsen and A. Keita</i>	
Wound Healing Plants in Mali, the Bamako Region. An Ethnobotanical Survey and Complement Fixation of Water Extracts from Selected Plants . . . . .	117
<i>S. Kumar Srivastava, M. Chaubey, S. Khatoon, A.K.S. Rawat and S. Mehrotra</i>	
Pharmacognostic Evaluation of <i>Coleus forskohlii</i> . . . . .	129
<i>M. Kizil, G. Kizil, M. Yavuz and Ç. Aytekin</i>	
Antimicrobial Activity of the Tar Obtained from the Roots and Stems of <i>Pinus brutia</i> . . . . .	135
<i>M.E. Pascual, M.E. Carretero, K.V. Slowing and A. Villar</i>	
Simplified Screening by TLC of Plant Drugs . . . . .	139
<i>S.Y. Dangi, C.I. Jolly and S. Narayanan</i>	
Antihypertensive Activity of the Total Alkaloids from the Leaves of <i>Moringa oleifera</i> . . . . .	144
<i>J.G. Eley and H. Dovlatabadi</i>	
Permeability Enhancement Activity from <i>Ziziphus jujuba</i> . . . . .	149
<i>A.J. Al-Rehaily, M.A. Al-Yahya, H.H. Mirza and B. Ahmed</i>	
Cucumidisecosterol: A New diseco-sterol from <i>Cucumis prophetarum</i> . . . . .	154
<i>S. Venkateswaran and L. Pari</i>	
Effect of <i>Coccinia indica</i> on Blood Glucose, Insulin and Key Hepatic Enzymes in Experimental Diabetes . . . . .	165
<i>D. Chauhan and J.S. Chauhan</i>	
Flavonoid Glycosides from <i>Pongamia pinnata</i> . . . . .	171
<i>R.Y. Vasudeva, G.R. Duddukuri, B.G. Sunil and R.R. Athota</i>	
Immunomodulatory Activity of <i>Achyranthes aspera</i> on the Elicitation of Antigen-Specific Murine Antibody Response . . . . .	175
<i>G.C. Jagetia, V. Nayak and M.S. Vidhyasagar</i>	
Enhancement of Radiation Effect by Guduchi ( <i>Tinospora cordifolia</i> ) in HeLa Cells . . . . .	179
<i>K.J. Park, S. Yang, Y.A. Eun, S.Y. Kim, H.H. Lee and H. Kang</i>	
Cytotoxic Effects of Korean Medicinal Herbs Determined with Hepatocellular Carcinoma Cell Lines . . . . .	189
<i>C. Bézivin, F. Lohézic, P. Sauvage, M. Amoros and J. Boustie</i>	
Cytotoxic Activity of <i>Tricholomatales</i> Determined with Murine and Human Cancer Cell Lines . . . . .	196
<i>A.J. Al-Rehaily, M.S. Al-Said, M.A. Al-Yahya, J.S. Mossa and S. Rafatullah</i>	
Ethnopharmacological Studies on Allspice ( <i>Pimenta dioica</i> ) in Laboratory Animals . . . . .	200
<i>H. Herrera-Mata, A. Rosas-Romero and O. Crescente V</i>	
Biological Activity of "Sanguinaria" ( <i>Justicia secunda</i> ) Extracts . . . . .	206

<i>S.R. de Sousa Lira, R.N. Almeida, F.R. de Castro Almeida, F. de Sousa Oliveira and J.C. Duarte</i> Preliminary Studies on the Analgesic Properties of the Ethanol Extract of <i>Combretum leprosum</i> . . . . .	213
<i>M.W. Islam, M.N.M. Zakaria, R. Radhakrishnan, M. Kamil, K.C. Chan and A. Al-Attas</i> Effect of <i>Teucrium stocksianum</i> on Gastric Ulceration and Secretion in Rats . . . . .	216
<i>H. Zhang, S. Qiu, P. Tamez, G.T. Tan, Z. Aydogmus, N. Van Hung, N.M. Cuong, C. Angerhofer,</i> <i>D.D. Soejarto, J.M. Pezzuto and H.H.S. Fong</i> Antimalarial Agents from Plants II. Decursivine, A New Antimalarial Indole Alkaloid from <i>Rhaphidophora decursiva</i> . . . . .	221
<i>M.N.M. Zakaria, M.W. Islam, R. Radhakrishnan, X.M. Liu, A. Ismail, M. Kamil, K. Chan and A. Al-Attas</i> Anti-gastric Ulcer and Cytoprotective Properties of <i>Caralluma arabica</i> . . . . .	225
<i>S. Bouttier, J. Fourniat, C. Garofalo, C. Gleye, A. Laurens and R. Hocquemiller</i> β-Lactamase Inhibitors from <i>Anacardium occidentale</i> . . . . .	231
<i>N. Rajakaruna, C.S. Harris and G.H.N. Towers</i> Antimicrobial Activity of Plants Collected from Serpentine Outcrops in Sri Lanka . . . . .	235
<i>F. Michelis, E. Tiligada, H. Skaltsa, D. Lazari, A.-L. Skaltsounis and A. Delitheos</i> Effects of the Flavonoid Pilloin Isolated from <i>Marrubium cyllellum</i> on Mitogen-Induced Lymphocyte Transformation . . . . .	245
<i>J. Mino, V.S. Martino, J.D. Coussio and C. Acevedo</i> Antinociceptive Effect of the Aqueous Extract of <i>Terminalia triflora</i> . . . . .	249
<i>L. Voutquenne, C. Lavaud, G. Massiot and L. Le Men-Olivier</i> Structure-Activity Relationships of Haemolytic Saponins . . . . .	253
<i>M.A. Zavala-Sánchez, S. Pérez-Gutiérrez, C. Pérez-González, D. Sánchez-Saldivar and L. Arias-García</i> Antidiarrhoeal Activity of Nonanal, an Aldehyde Isolated from <i>Artemisia ludoviciana</i> . . . . .	263
<i>Ö.T. Erdoğrul</i> Antibacterial Activities of Some Plant Extracts Used in Folk Medicine . . . . .	269
<i>A. Capasso and V. De Feo</i> Central Nervous System Pharmacological Effects of Plants from Northern Peruvian Andes: <i>Valeriana adscendens</i> , <i>Iresine herbstii</i> and <i>Brugmansia arborea</i> . . . . .	274
<i>A. Ferraz, S. Bordignon, D.R.A. Mans, A. Schmitt, A.P. Ravazzolo and G. Lino von Poser</i> Screening for the Presence of Hypericins in Southern Brazilian Species of <i>Hypericum</i> . . . . .	294
<i>K.-M. Ko, M.K.T. Poon, S.-P. Ip and K. Wu</i> Protection against Carbon Tetrachloride Liver Toxicity by Enantiomers of Schisandrin B Associated with Differential Changes in Hepatic Glutathione Antioxidant System in Mice . . . . .	298
<i>M.F. Biabani, S.P. Gunasekera, R.E. Longley, A.E. Wright and S.A. Pomponi</i> Tubercidin, A Cytotoxic Agent from the Marine Sponge <i>Caulospongia biflabellata</i> . . . . .	302
<i>B. Dulger, F. Yilmaz and F. Gucin</i> Antimicrobial Activity of Some <i>Lactarius</i> Species . . . . .	304
<i>Y. Kumarasamy, M.E. Fergusson, L. Nahar and S.D. Sarker</i> Bioactivity of Moschamindole from <i>Centaurea moschata</i> . . . . .	307

<i>M.D. Soković, P.D. Marin, D. Simić, J. Knežević-Vukčević, V. Vajs and S. Petrović</i>		
Antimutagenic Activity of Essential Oil and Crude Extract of <i>Phlomis fruticosa</i> . . . . .		311
<i>R.R. Luedtke, R.A. Freeman, M.W. Martin, J.W. Bastien, J. Zalles-Asin and M.G. Reinecke</i>		
Pharmacological Survey of Medicinal Plants for Activity at Dopamine Receptor Subtypes. I. Activation of D1-Like Receptor Linked Adenylyl Cyclase . . . . .		315
<i>T.K. Yim and K.M. Ko</i>		
Antioxidant and Immunomodulatory Activities of Chinese Tonifying Herbs . . . . .		329
<i>F.L. Both, V.A. Kerber, A.T. Henriques and E. Elisabetsky</i>		
Analgesic Properties of Umbellatine from <i>Psychotria umbellata</i> . . . . .		336
<i>J.O. Moody, V.A. Robert and Jd.A. Hughes</i>		
Antiviral Activities of Selected Medicinal Plants II: Effect of Extracts of <i>Diospyros barteri</i> , <i>Diospyros monbutensis</i> and <i>Sphenocentrum jollyanum</i> on Cowpea Mosaic Viruses . . . . .		342
<i>P.L. Owen and T. Johns</i>		
Antioxidants in Medicines and Spices as Cardioprotective Agents in Tibetan Highlanders . . . . .		346
<i>Z.A.M. Hussein, I. bin Jantan, A. Awaludin and N.W. Ahmad</i>		
Mosquito Repellent Activity of the Methanol Extracts of Some Ascidian Species . . . . .		358
<i>N. Narayanan, P. Thirugnanasambantham, S. Viswanathan, E. Sukumar and P. Jeyaraman</i>		
Pharmacognostical Studies on the Roots of <i>Clerodendrum serratum</i> . . . . .		362
<i>N. Yalı, C. Baltacı, H. Genç and S. Terzioglu</i>		
Phenolic and Flavone C-glycosides from <i>Scleranthus uncinatus</i> . . . . .		369
<i>I.R. Siqueira, C.A.S. Cordova, T.B. Creczynski-Pasa, E. Elisabetsky, D.S. Nunes and C.A. Netto</i>		
Antioxidant Action of an Ethanol Extract of <i>Ptychopetalum olacoides</i> . . . . .		374
<i>D.D. Orhan, İ. Çalış and F. Ergun</i>		
Two New Flavonoid Glycosides from <i>Viscum Album</i> ssp. <i>album</i> . . . . .		380
<i>R.P. Bansal, J.R. Bahl, S.N. Garg, A.A. Naqvi and S. Kumar</i>		
Differential Chemical Compositions of the Essential Oils of the Shoot Organs, Rhizomes and Rhizoids in the Turmeric <i>Curcuma longa</i> Grown in Indo-Gangetic Plains . . . . .		384
<i>H.D. Smolarz</i>		
Flavonoids from <i>Polygonum lapathifolium</i> ssp. <i>tomentosum</i> . . . . .		390
<i>J.R. Ochocka, M. Asztemborska, D. Sybilska and W. Langa</i>		
Determination of Enantiomers of Terpenic Hydrocarbons in Essential Oils Obtained from Species of <i>Pinus</i> and <i>Abies</i> . . . . .		395
<i>D. Mares, B. Tosi, C. Romagnoli and F. Poli</i>		
Antifungal Activity of <i>Tagetes patula</i> Extracts . . . . .		400
<i>G.A. Akowuah, A. Sadikun and A. Mariam</i>		
Flavonoid Identification and Hypoglycaemic Studies of the Butanol Fraction from <i>Gynura procumbens</i> . . . . .		405
<i>R.S. Gupta, R. Sharma, A. Sharma, R. Chaudhary, A.K. Bhatnager, M.P. Dobhal, Y.C. Joshi and M.C. Sharma</i>		
Antispermatogenic Effect and Chemical Investigation of <i>Opuntia dillenii</i> . . . . .		411
<i>M.K. Venkataranganna, S.D. Anturlikar, S. Gopumadhavan, N.S. Prakash, M. Rafiq, G.S. Murthy and S.K. Mitra</i>		
Antispasmodic Activity of SJ-200 (Himcospaz): An Herbal Preparation . . . . .		416

<i>S. Toda and Y. Shirataki</i>	
Inhibitory Effects of Isoflavones in <i>Sophora mooracrotiana</i> on Lipid Peroxidation by Superoxide . . . . .	422
<i>M. Digrak, E. Bağci and M. Hakkı Alma</i>	
Antibiotic Action of Seed Lipids from Five Tree Species Grown in Turkey . . . . .	425
<i>P. Panichayupakaranant and W. Reanmongkol</i>	
Evaluation of Chemical Stability and Skin Irritation of Lawsone Methyl Ether in Oral Base . . . . .	429
<i>M.G. Dharmasiri, W.D. Ratnasooriya and M.I. Thabrew</i>	
Anti-inflammatory Activity of Decotions of Leaves and Stems of <i>Anisomeles indica</i> at Preflowering and Flowering Stages . . . . .	433
<i>R. Ramírez-Durón, A. García-Luna, L. Garza-Ocañas, A. Piñeyro-López and N. Waksman de Torres</i>	
New Synthetic Derivatives from Peroxisomicine A1 and their Biological Activity . . . . .	440
<i>B. Nickavar, M.H. Salehi-Sormagi, Gh. Armin and M. Daneshthalab</i>	
Steam Volatiles of <i>Vaccinium arctostaphylos</i> . . . . .	448
<i>D. Sukumaran, B.D. Parashar and K.M. Rao</i>	
Evaluation of Some Plant Molluscicides Against a Freshwater Snail <i>Lymnaea luteola</i> , the Vector of Animal Schistosomiasis . . . . .	450
<i>P. Vijayan, S. Vinod Kumar, S.A. Dhanaraj, S. Badami and B. Suresh</i>	
In Vitro Cytotoxicity and Anti-tumor Properties of the Total Alkaloid Fraction of Unripe Fruits of <i>Solanum pseudocapsicum</i> . . . . .	456
<i>O. Adedayo, W.A. Anderson, M. Moo-Young, V. Snieckus, P.A. Patil and D.O. Kolawole</i>	
Kinetics of Antibacterial Activity and Physicochemical Damage Caused by the Extracts of <i>Senna alata</i> Flowers . . . . .	461
<i>K. Hüsnü Can Başer, B. Demirci, T. Özak, E. Akalın and N. Özhatay</i>	
Micro-Distilled Volatile Compounds from <i>Ferulago</i> Species Growing in Western Turkey . . . . .	466
<i>M.A.R. Cairão, A.M. Ribeiro, A.B. Pizzo, A.C.K. Fontana, R.O. Beleboni, J. Coutinho-Netto, A. Miranda and W.F. Santos</i>	
Anticonvulsant and GABA Uptake Inhibition Properties of Venom Fractions from the Spiders <i>Parawixia bistriata</i> and <i>Scaptocosa raptoria</i> . . . . .	472
<i>M. Sayyah, A. Mahboubi and M. Kamalinejad</i>	
Anticonservant Effect of the Fruit Essential Oil of <i>Cuminum cyminum</i> in Mice . . . . .	478
<i>M.S. Demo, M.M. Oliva, M.P. Zunino, M.L. Lopez and J.A. Zygadlo</i>	
Aromatic Plants from Yungas. Part IV: Composition and Antimicrobial Activity of <i>Myrcianthes pseudo-mato</i> Essential Oil . . . . .	481
<i>D.A. Garcia Cortez, B.A. Abreu Filho, C.V. Nakamura, B.P. Dias Filho, A. Marston and K. Hostettmann</i>	
Antibacterial Activity of a Biphenyl and Xanthones from <i>Kielmeyera coriacea</i> . . . . .	485
<i>K.R. Prabhakar, K.K. Srinivasan and P.G.M. Rao</i>	
Chemical Investigation, Anti-inflammatory and Wound Healing Properties of <i>Coronopus didymus</i> . . . . .	490
<i>N.R. Monks, A. Ferraz, S. Bordignon, K.R. Machado, M.F.S. Lima, A.B. da Rocha and G. Schwartsmann</i>	
<i>In vitro</i> Cytotoxicity of Extracts from Brazilian Asteraceae . . . . .	494
<i>A. Sharanabasappa, B. Vijayakumar and S.B. Patil</i>	
Effect of <i>Momordica charantia</i> Seed Extracts on Ovarian and Uterine Activities in Albino Rats . . . . .	501

<i>U.V. Mallavadhani, G. Sahu and J. Muralidhar</i>	
Screening of <i>Plumbago</i> Species for the Bio-active Marker Plumbagin . . . . .	508
<i>L. Pari and M. Latha</i>	
Antidiabetic Activity of <i>Cassia auriculata</i> Flowers: Effect on Lipid Peroxidation in Streptozotocin Diabetes Rats . . . . .	512
<i>C. Keller, M. Maillard, J. Keller and K. Hostettmann</i>	
Screening of European Fungi for Antibacterial, Antifungal, Larvicidal, Molluscicidal, Antioxidant and Free-Radical Scavenging Activities and Subsequent Isolation of Bioactive Compounds . . . . .	518
<i>B. Fogliani, S. Bouraïma-Madjebi, R. Pineau and P. Cabalion</i>	
Screening of Fifty <i>Cunoniaceae</i> Species from New Caledonia for Inhibitors of Xanthine Oxidase and Scavengers of Superoxide Anions . . . . .	526
<i>M. Rajani, N. Saxena, M.N. Ravishankara, N. Desai and H. Padh</i>	
Evaluation of the Antimicrobial Activity of Ammoniacum Gum from <i>Dorema ammoniacum</i> . . . . .	534
<i>B.B. Cota, A.B. Oliveira, C.P. Ventura, M.P. Mendonca and F.C. Braga</i>	
Antimicrobial Activity of Plant Species From a Brazilian Hotspot for Conservation Priority . . . . .	542
<i>S. Sundaresan and P. Subramanian</i>	
Evaluation of Chemopreventive Potential of Garlic Extract on <i>N</i> -Nitrosodiethylamine-Induced Hepatocarcinoma in Rats . . . . .	548
<i>M.J. Moshi and Z.H. Mbwambo</i>	
Experience of Tanzanian Traditional Healers in the Management of Non-insulin Dependent Diabetes Mellitus . . . . .	552
<i>R. Vargas S. and R.M. Pérez G</i>	
Antiulcer Activity of <i>Salix taxifolia</i> Aqueous Extract . . . . .	561
<i>M.O. Fatope, L. Salihu, S.K. Asante and Y. Takeda</i>	
Larvicidal Activity of Extracts and Triterpenoids from <i>Lantana camara</i> . . . . .	564
<i>I. Orhan, B. Şener, T. Atıcı and P. Palittapongarnpim</i>	
<i>In vitro</i> Antimycobacterial Potential of Some Fresh-Water Macroalgae and Aqueous Plants . . . . .	568
<i>F.J. Alarcon-Aguilar, A.E. Campos-Sepulveda, S. Xolalpa-Molina, E. Hernandez-Galicia and R. Roman-Ramos</i>	
Hypoglycaemic Activity of <i>Ibervillea sonorae</i> Roots in Healthy and Diabetic Mice and Rats . . . . .	570
<i>K. Dhawan, S. Kumar and A. Sharma</i>	
Reversal of Morphine Tolerance and Dependence by <i>Passiflora incarnata</i> – A Traditional Medicine to Combat Morphine Addiction . . . . .	576
<i>B. Singh, P.M. Sahu, S.C. Jain and S. Singh</i>	
Antineoplastic and Antiviral Screening of Pyrrolizidine Alkaloids from <i>Heliotropium subulatum</i> . . . . .	581
<i>B. Dülger, S. Kirmizi, H. Arslan and G. Gülcü</i>	
Antimicrobial Activity of Three Endemic <i>Verbascum</i> Species . . . . .	587
<i>S. Parameshwar, K.K. Srinivasan and C. Mallikarjuna Rao</i>	
Oral Antidiabetic Activities of Different Extracts of <i>Caesalpinia bonduc</i> Seed Kernels . . . . .	590
<i>M.H. Boskabady and N. Sheiravi</i>	
Inhibitory Effect of <i>Nigella sativa</i> on Histamine (H <sub>1</sub> ) Receptors of Isolated Guinea Pig Tracheal Chains . . . . .	596

<i>N.R. Monks, S.A.L. Bordignon, A. Ferraz, K.R. Machado, D.H. Faria, R.M. Lopes, C.A. Mondin, I.C.C. de Souza, M.F.S. Lima, A.B. da Rocha and G. Schwartsmann</i>	
Anti-tumour Screening of Brazilian Plants . . . . .	603
<i>S. Berkov and S. Philipov</i>	
Alkaloid Production in Diploid and Autotetraploid Plants of <i>Datura stramonium</i> . . . . .	617
INDEX VOLUME 40 . . . . .	625
GENUS/SPECIES INDEX . . . . .	633

## GENUS/SPECIES INDEX

- Abies alba*, 395–398  
*Abies cilicica*, 138  
*Abies nordmanniana*, 425–428  
*Abies nordmanniana* var. *nordmanniana*, 427  
*Abies sibirica*, 395–396, 398  
*Abrus precatorius*, 555–556  
*Abutilon indicum*, 237–241  
*Acacia concinna*, 450–455  
*Acacia macrostachya*, 120  
*Acacia nilotica*, 120, 453, 455  
*Acacia senegal*, 120  
*Acacia tortilis*, 552–556  
*Acalypha indica*, 503  
*Achyranthes aspera*, 175–178, 503  
*Achyrocline satureoides*, 317  
*Acinetobacter johnsonii*, 272  
*Aconitum koreanum*, 191  
*Acsmithia elliptica*, 528  
*Acsmithia meridionalis*, 528  
*Acsmithia pedunculata*, 528  
*Acsmithia pubescens*, 528  
*Actinostemom concolor*, 607  
*Adansonia digitata*, 119  
*Aedes aegypti*, 206–207, 358–360, 518–523  
*Aedes albopictus*, 358–360  
*Aerva lanata*, 237, 239–241  
*Afrotriosia laxiflora*, 120  
*Afzelia africana*, 120  
*Agaricus xanthoderma*, 520–521  
*Agastache rugosa*, 191  
*Agave americana*, 450, 454  
*Agelaiia vicina*, 476  
*Agelenopsis aperta*, 476  
*Ageratum conyzoides*, 119  
*Akebia quinata*, 191  
*Albatrellus confluens*, 520, 522  
*Albizia anthelmintica*, 552–557  
*Albizia versicolor*, 552–557  
*Alchemilla andina*, 318  
*Alchornea triplinervia*, 607, 612  
*Aleurites moluccana*, 607, 612  
*Aleurodiscus*, 304  
*Allium sativum*, 450, 548–551  
*Aloe arborescens*, 605, 610  
*Aloe vera*, 118, 126, 605, 610  
*Alomia myriadenia*, 495  
*Alsophila spinulosa*, 175  
*Alternanthera pungens*, 555–556  
*Alternaria brassicola*, 236  
*Amocarpom spp.*, 555–556  
*Amomum kravah*, 191  
*Amomum subalatum*, 346–351, 354  
*Anacardium occidentale*, 231–234  
*Andrographis paniculata*, 175  
*Andropogon gayanus*, 121  
*Angelica acutiloba*, 118  
*Angelica dahurica*, 191  
*Angelica gigas*, 189–191  
*Angelica sinensis*, 331  
*Anisacanthus virginicus*, 96–101  
*Anisomeles indica*, 433–439  
*Annona cacans*, 605, 610  
*Annona senegalensis*, 119, 123–126  
*Anogeissus leiocarpa*, 119  
*Anopheles maculatus*, 358–360  
*Aphis craccivora*, 564–565  
*Aphloia madagascariensis*, 253, 257  
*Apis dorsata*, 40  
*Apis mellifera*, 40  
*Apium graveolens*, 416–419  
*Aplidium sp.*, 358–360  
*Aquilaria agallocha*, 346–354  
*Arachis hypogaea*, 120  
*Arctium lappa*, 270  
*Areca catechu*, 189–191  
*Arisaema amurense* var. *serratum*, 191  
*Aristida setacea*, 237–240  
*Aristolochia manshuriensis*, 191  
*Armeniaca vulgaris*, 380  
*Armillaria mellea*, 196–198  
*Armillaria tabescens*, 196–198  
*Aronia*, 488  
*Artemia salina*, 74–76, 206, 208, 210, 307–308  
*Artemisia absinthium*, 269–272, 317  
*Artemisia afra*, 272  
*Artemisia capillaris*, 191  
*Artemisia ludoviciana*, 263–268  
*Artemisia ludoviciana* var. *mexicana*, 263  
*Artemisia spp.*, 92  
*Asparagus buchananii*, 552, 554–556  
*Asparagus cochinchinensis*, 191, 331  
*Aspergillus niger*, 488, 534–546  
*Aster alpinus*, 17–18  
*Aster ibericus*, 17  
*Aster roseus*, 17  
*Aster taraticus*, 17–18  
*Aster tripolium*, 17  
*Astragalus membranaceus*, 191, 317, 331

- Astripomoea hyoscyamoides*, 555–556  
*Atractylis ovata*, 317  
*Atracyclodes japonica*, 191  
*Atracyclodes macrocephala*, 331  
*Atriolum robustum*, 358–360  
*Avena sativa*, 270  
*Azadirachta indica*, 450
- Baccharis coridifolia*, 494, 496, 498–499, 605, 610  
*Baccharis genistelloides*, 317  
*Baccharis mesoneura*, 605, 610  
*Baccharis ochracea*, 494, 496, 498–499, 605, 610  
*Baccharis spicata*, 496, 605, 610  
*Baccharis trimera*, 317, 605, 610  
*Baccharis ustertii*, 605, 610  
*Bacillus anthracis*, 518  
*Bacillus brevis*, 269–272, 426–427  
*Bacillus cereus*, 206, 208–210, 304–305, 309, 481–483, 534–540  
*Bacillus megaterium*, 269–272, 304–305, 426–427, 587–589  
*Bacillus pumilus*, 534–540  
*Bacillus subtilis*, 154, 236–242, 269–272, 425–428, 461–464, 485–488, 518–523, 534–540  
*Bacillus subtilis* var. *niger*, 269–272  
*Balanites aegyptiaca*, 450, 455  
*Bambusa arundinaceae*, 348–349  
*Barbacenia flava*, 543–547  
*Bauhinia reticulata*, 120  
*Bauhinia thonningii*, 120, 123–126  
*Beauveria bassiana*, 29  
*Belamcanda chinensis*, 191  
*Benincasa*, 574  
*Berberis aristata*, 175  
*Berberis laurina*, 606, 612  
*Berlinia grandiflora*, 120  
*Beta vulgaris*, 253, 259  
*Betula spp.*, 425  
*Bidens pilosa*, 18  
*Bidens tripartita*, 18  
*Biomphalaria alexandrina*, 56, 154  
*Biomphalaria cheanomphale*, 453  
*Biomphalaria glabrata*, 452–453, 518–523  
*Biomphalaria pfeifferi*, 453  
*Biophytum petersianum*, 117, 121–126  
*Biophytum sensitivum*, 122  
*Boerhavia diffusa*, 175  
*Boldoa fragrans*, 317  
*Boletus edulis*, 521  
*Boletus erythropus*, 521  
*Boletus radicans*, 521  
*Boletus satanas*, 519–521  
*Bombyx mori*, 28–32  
*Bonara parviflora*, 607, 613  
*Bonara tomentosa*, 607, 613  
*Bondarzewia montana*, 521
- Bordetella bronchiseptica*, 534–540  
*Boscia angustifolia*, 119  
*Boscia senegalensis*, 119  
*Boswellia carterii*, 191  
*Botrytis cinerea*, 400–403  
*Bridelia ferruginea*, 120  
*Bridelia micrantha*, 552, 554–557  
*Brosimum acutifolium*, 608, 613  
*Broussonetia papyrifera*, 488  
*Brugmansia arborea*, 274–293  
*Brugmansia candida*, 276  
*Brugmansia spp.*, 618  
*Bryonia*, 574  
*Bryonia alba*, 574–575  
*Bryonia dioica*, 574  
*Brysocarpus coccineus*, 33–38  
*Bulgaria inquinans*, 520–521  
*Bulinus nasatus*, 453  
*Bulinus truncatus*, 452  
*Bupleurum falcatum*, 17  
*Bupleurum gerardi*, 17  
*Bupleurum longicauda* var. *hymalayense*, 17  
*Bupleurum nordmannianum*, 17  
*Bupleurum polyphyllum*, 17  
*Burkea africana*, 120, 123–125
- Cabralea canjerana*, 608, 613  
*Caesalpina bonducella*, 590–595  
*Caesalpina crista*, 590  
*Caesalpina sappan*, 189–191, 194  
*Calocybe butyracea*, 523  
*Calocybe gambosa*, 523  
*Calotropis gigantea*, 236–241  
*Calotropis procera*, 121  
*Cambessedia*, 542  
*Camellia sinensis*, 347–348  
*Candida albicans*, 19, 135–138, 206, 208–210, 235–242, 304–305, 426–427, 429, 431, 482–485, 518–523, 534–546, 587–589  
*Cantharellus tubaeformis*, 521  
*Canthium sp.*, 240  
*Capsicum frutescens*, 122  
*Caralluma arabica*, 225–230  
*Carica papaya*, 119, 555–556  
*Carthamus tinctorius*, 347–349, 353  
*Carvalho macrophylla*, 555–556  
*Casearia decandra*, 607, 613  
*Casearia obliqua*, 607, 613  
*Casearia silvestris*, 607, 613  
*Cassia auriculata*, 237–242, 512–517, 552, 554–558  
*Cassia nigricans*, 125  
*Cassia sieberiana*, 120  
*Cassia singueana*, 552, 554–557  
*Catunaregam spinosa*, 238–240  
*Caulospongia biflabellata*, 302–303  
*Cedrus libani*, 138

- Celtis integrifolia*, 122  
*Celtis zenkeri*, 555–556  
*Centaurea alexandrii*, 18  
*Centaurea apiculata*, 18  
*Centaurea auxillaris*, 18  
*Centaurea behen*, 18  
*Centaurea caspia*, 18  
*Centaurea cobustanica*, 18  
*Centaurea cyanus*, 18, 307  
*Centaurea diffusa*, 18  
*Centaurea fischeri*, 18  
*Centaurea hyrcanica*, 18  
*Centaurea jacea*, 18  
*Centaurea moschata*, 307–310  
*Centaurea rozdorskyi*, 18  
*Centaurea scabiosa*, 18  
*Centaurea sosnowskyi*, 18  
*Centaurea squarrosa*, 18  
*Centaurea transcaucasica*, 18  
*Ceratotheca sesamoides*, 121  
*Cestrum parqui*, 315, 317–323  
*Chaenomeles*, 488  
*Chamaechrista absus*, 120  
*Chamaechrista nigricans*, 120, 123–126  
*Chamasyce hirta*, 120  
*Chaptalia nutans*, 496, 605, 610  
*Chenopodium ambrosioides*, 119, 317  
*Chiococca alba*, 608, 614  
*Chrozophora senegalensis*, 120  
*Cibotium barometz*, 331  
*Cimicifuga heracleifolia*, 191  
*Cinchona pubescens*, 139–141  
*Cinnamomum cassia*, 24, 27, 189, 191, 194  
*Cissus populnea*, 122  
*Cissus quadrangularis*, 122  
*Cistanche salsa*, 331  
*Citronella gongonha*, 607, 613  
*Citronella paniculata*, 607, 613  
*Citrullus*, 574  
*Citrus aurantium* var. *daidai*, 191  
*Citrus tachibana*, 191  
*Citrus unshiu*, 24, 27, 191  
*Cladophora fracta*, 568–569  
*Cladophora glomerata*, 568–569  
*Cladosporium cucumerinum*, 485, 518–523  
*Clausena anisata*, 555–556  
*Clavariadelphus pistillaris*, 521  
*Clavelina picta*, 358–360  
*Clavigralla tomentoicollis*, 564–567  
*Clematis mandshurica*, 191  
*Clerodendrum indicum*, 362, 367  
*Clerodendrum infortunatum*, 236–242  
*Clerodendrum serratum*, 362–368  
*Climacocystis borealis*, 522  
*Clitobye*, 304  
*Clitocybe nebularis*, 196–199  
*Clitocybe phyllophila*, 196–198  
*Clusia criuva*, 607  
*Clusia parvifolia*, 607, 612  
*Cnidium officinale*, 191  
*Coccinia*, 574  
*Coccinia cordifolia*, 574  
*Coccinia indica*, 165–170, 574  
*Coccoloba acrostichoides*, 543–547  
*Coccoloba cerifera*, 543–547  
*Coccoloba cordata*, 608, 614  
*Cochlospermum tinctorium*, 119, 123–125  
*Codia albifrons*, 528  
*Codia arborea*, 528, 532  
*Codia discolor*, 528  
*Codia ferruginea*, 528  
*Codia incrassata*, 526, 528, 532  
*Codia montana*, 528  
*Codia nitida*, 528, 532  
*Codia* sp. nov., 528  
*Codonopsis pilosula*, 331  
*Cola acuminata*, 125  
*Cola cordifolia*, 122–125  
*Cola nitida*, 122  
*Coleus barbatus*, 129  
*Coleus forskohlii*, 129–134  
*Colletia paradoxa*, 608, 614  
*Collybia butyracea*, 523  
*Combretum aculeatum*, 119  
*Combretum dolichopetalum*, 214  
*Combretum glutinosum*, 119  
*Combretum lecardii*, 119  
*Combretum leprosum*, 213–215  
*Combretum micranthum*, 119  
*Combretum molle*, 120, 552, 554–557  
*Commiphora molmol*, 191  
*Convolvulus arvensis*, 18  
*Convolvulus eremophilus*, 18  
*Convolvulus hirsutus*, 18  
*Convolvulus persicus*, 18  
*Convolvulus pilosellifollins*, 18  
*Coprinus*, 304  
*Coptis chinensis*, 189–190, 192, 194  
*Cordia myxa*, 119  
*Cordyla pinnata*, 120  
*Cornus officinalis*, 595  
*Coronopus didymus*, 490–493  
*Cortaderia rudiuscula*, 317  
*Cortinarius elegantior*, 521  
*Cortinarius hercynicus*, 518–519, 521  
*Cortinellus*, 304  
*Corynebacterium xerosis*, 231–233, 304–305, 587–589  
*Cotoneaster*, 488  
*Coutarea hexandra*, 608, 614  
*Crataegus pinnatifida*, 192  
*Crateagus*, 488  
*Crocus sativus*, 347–354

- Crossopteryx febrifuga*, 122–125  
*Crotalaria biflora*, 236, 239–242  
*Croton bonplandianus*, 236–240  
*Croton urucurana*, 607, 612  
*Crudia amazonica*, 607, 612  
*Cucumis*, 574  
*Cucumis prophetarum*, 154–159  
*Cucumis sativus*, 574  
*Cucurbita ficifolia*, 574  
*Culex quinquefasciatus*, 358–360  
*Cuminum cyminum*, 478–480  
*Cuminum odorum*, 478–480  
*Cunonia alticola*, 529  
*Cunonia aoupiniensis*, 529  
*Cunonia atrorubens*, 529  
*Cunonia austrocaledonica*, 529, 532  
*Cunonia balansae*, 529  
*Cunonia bullata*, 529  
*Cunonia deplanchei*, 529  
*Cunonia lenormandii*, 529  
*Cunonia linearisepala*, 526, 529, 532  
*Cunonia macrophylla*, 529  
*Cunonia montana*, 526, 529  
*Cunonia pterophylla*, 529  
*Cunonia pulchella*, 529  
*Cunonia purpurea*, 530, 532  
*Cunonia rotundifolia*, 530, 532  
*Cunonia varijuga*, 530  
*Cunonia vieillardii*, 530  
*Cunoniaceae*, 526–533  
*Curcuma aeruginosa*, 384, 389  
*Curcuma amada*, 384, 389  
*Curcuma domestica*, 384, 389  
*Curcuma harmandii*, 384, 389  
*Curcuma longa*, 384–389  
*Curcuma mangga*, 384, 389  
*Curcuma zedoaria*, 192  
*Cuscuta chinensis*, 331  
*Cyanchum atratum*, 317  
*Cyanoglossum lanceolatum*, 555–556  
*Cydonia*, 488  
*Cymbopogon citratus*, 552, 554–556  
*Cyperus rotundus*, 192  
*Cyphosterma buchananii*, 555  
*Cyphosterma spp.*, 556
- Daedalea quercina*, 522  
*Dalbergia melanoxylon*, 555–557  
*Daniellia oliveri*, 120  
*Daphne caucasica*, 20  
*Daphne glomerata*, 20  
*Daphne mezereum*, 20  
*Daphne transcaucasica*, 20  
*Daphne vesiculosum*, 20  
*Daphnopsis fasciculata*, 609, 615  
*Daphnopsis rascemosa*, 609, 615
- Dasyphyllum brasiliense*, 496, 605, 610  
*Dasyphyllum spinescens*, 496, 605, 610  
*Datura aurea*, 618  
*Datura candida*, 618  
*Datura metel*, 618  
*Datura sanguinea*, 618  
*Datura stramonium*, 617–621  
*Deinbollia borbonica*, 552, 554–558  
*Dendrobium nobilis*, 331  
*Dendropanax cutaneum*, 606, 611  
*Desmodium ascendens*, 254, 259  
*Detarium microcarpum*, 120  
*Dichrostachys cinerea*, 120  
*Didemnum molle*, 358–360  
*Didemnum sp.*, 358–360  
*Digitalis purpurea*, 318  
*Digitalis purpurea* var. *toletana*, 139–141  
*Diodia apiculata*, 608, 614  
*Dioscorea batatas*, 192  
*Dioscorea opposita*, 331  
*Diospyros*, 508  
*Diospyros barteri*, 342–345  
*Diospyros mespiliformis*, 120  
*Diospyros monbutensis*, 342–345  
*Diospyros usambarensis*, 552, 554–556  
*Diplorhynchus condylocarpon*, 555–556  
*Dipsacus japonicus*, 331  
*Dodonaea viscosa*, 318  
*Dolichos lablab*, 331  
*Dombeya shupangae*, 555  
*Dorema ammoniacum*, 534–541  
*Drosera*, 508  
*Drynaria fortunei*, 331  
*Ducus carota*, 17  
*Ducus sativa*, 17  
*Duguetia flagellaris*, 605, 610
- Echinacea angustifolia*, 92–95  
*Echinacea pallida*, 92–95  
*Echinacea purpurea*, 92–95  
*Eclipta prostrata*, 331  
*Ehretia amoena*, 552, 554–557  
*Ellettaria cardamomum*, 348, 353  
*Elodea canadensis*, 568–569  
*Emilia sonchifolia*, 495  
*Entada africana*, 120  
*Entada phaseoloides*, 453  
*Enterobacter aerogenes*, 426–427  
*Enterobacter faecalis*, 236, 238–239  
*Enterococcus faecalis*, 482–483  
*Enterolobium contortisiliquum*, 607, 612  
*Epaltes divaricata*, 237–240  
*Ephedra americana*, 317  
*Ephedra sinica*, 189–190, 192  
*Epidermophyton floccosum*, 429  
*Epimedium grandiflorum*, 331

- Epimedium humanense*, 175  
*Eriobotrya*, 488  
*Erwinia amylovora*, 271  
*Erwinia carotivora*, 272  
*Eryngium ebracteatum*, 605, 610  
*Eryngium elegans*, 605, 610  
*Eryngium horridum*, 605, 610  
*Eryngium nudicale*, 605, 610  
*Erysiphe polygoni*, 236  
*Escherichia coli*, 135–138, 206, 208–210, 236–242, 269–272, 304–305, 309, 311–312, 426, 482–488, 518–523, 534–546, 587–589  
*Eucommia ulmoides*, 317, 331  
*Eudistoma obscuratum*, 358–360  
*Eugenia bacopari*, 608, 613  
*Eugenia brasiliensis*, 608, 613  
*Eugenia catharinea*, 608, 613  
*Eugenia dimorpha*, 608, 613  
*Eugenia florida*, 608, 613  
*Eugenia hyemalis*, 608, 613  
*Eugenia involucrata*, 608, 614  
*Eugenia multicostata*, 608, 614  
*Eugenia pitanga*, 608, 614  
*Eugenia pyriformis*, 608, 614  
*Eugenia rostrifolia*, 608, 614  
*Eugenia schuechiana*, 608, 614  
*Eugenia uniflora*, 608, 614  
*Eugenia uruguayensis*, 608, 614  
*Eupatorium altissimum*, 498  
*Eupatorium cannabinum*, 498  
*Eupatorium casarettii*, 496, 498, 605, 610  
*Eupatorium cuneifolium*, 498  
*Eupatorium formosanum*, 498  
*Eupatorium inulaefolium*, 496, 498, 605, 610  
*Eupatorium laevigatum*, 494, 496, 498–499, 605, 611  
*Eupatorium macrocephalum*, 494, 496, 498–499  
*Eupatorium multicrenulatum*, 605, 611  
*Eupatorium odoratum*, 237–242  
*Eupatorium pedunculosum*, 494, 496, 498–499, 606, 611  
*Eupatorium rotundifolium*, 498  
*Eupatorium rufescens*, 606, 611  
*Eupatorium semiserratum*, 498  
*Eupatorium tremulum*, 496, 498, 606, 611  
*Euphorbia azerbajanica*, 19–20  
*Euphorbia boiserriana*, 19  
*Euphorbia grosshemii*, 19  
*Euphorbia hirta*, 103–106  
*Euphorbia hyrcana*, 19  
*Euphorbia iberica*, 19  
*Euphorbia lathyris*, 19  
*Euphorbia peplus*, 19  
*Euphorbia rubicunda*, 239–240  
*Euphorbia sp.*, 450  
*Euphorbia squamosa*, 19  
*Euphorbia sudanica*, 120  
*Euphorbia szowitsii*, 19  
*Euphorbia tirucalli*, 607, 612  
*Euphorbia tuckeana*, 19  
*Euphorbia turcomanica*, 19  
*Evolvulus alsinoides*, 236–241  
*Fagara zanthoxyloides*, 122  
*Fagus spp.*, 425  
*Faidherbia albida*, 120  
*Fasciola gigantica*, 450  
*Fasciola hepatica*, 450  
*Ferula rigidula*, 17  
*Ferulago antiochia*, 466  
*Ferulago asparagafolia*, 466–470  
*Ferulago aucheri*, 466–470  
*Ferulago confusa*, 466–470  
*Ferulago contracta*, 466  
*Ferulago galbanifera*, 466–470  
*Ferulago humilis*, 466–470  
*Ferulago idaea*, 466–470  
*Ferulago macrosciadia*, 466–470  
*Ferulago mughlae*, 466–470  
*Ferulago nodosa*, 466  
*Ferulago sandrasica*, 466–470  
*Ferulago silaifolia*, 466–470  
*Ferulago sylvatica*, 466–470  
*Ferulago thyrsiflora*, 466  
*Ferulago trachycarpa*, 466–470  
*Ficus capensis*, 552, 554–557  
*Ficus exasperata*, 552, 554–556  
*Ficus gnaphalocarpa*, 121  
*Ficus luteai*, 121  
*Ficus simplicissima*, 331  
*Ficus sur*, 121  
*Filicium decipiens*, 254, 261  
*Fimbristylis falcata*, 238–240  
*Foeniculum vulgare*, 24, 416–419  
*Fomitopsis pinicola*, 522  
*Forsythia koreana*, 193  
*Forsythia spp.*, 99  
*Franseria artemisoides*, 317  
*Fraxinus spp.*, 425  
*Fritillaria verticillata* var. *thunbergii*, 192  
*Fumaria officinalis*, 269–272  
*Fusarium moniliforme*, 400–404  
*Ganoderma carnosum*, 521  
*Garcinia dioica*, 487  
*Garcinia kola*, 107–116  
*Gardenia jasminoides* var. *grandiflora*, 192  
*Gardenia latifolia*, 362  
*Gardenia resinifera*, 362  
*Gardenia spp.*, 367  
*Gardenia ternifolia*, 121  
*Gardenia turgida*, 362  
*Garea macrophylla*, 608, 613  
*Geissois hippocastaneifolia*, 530

- Geissois hirsuta*, 530  
*Geissois magnifica*, 530  
*Geissois polyphylla*, 530  
*Geissois pruinosa*, 530  
*Geniosporum tenuiflorum*, 236, 239–242  
*Gentiana caucasica*, 19  
*Gentiana gelida*, 19  
*Gentiana karelinii*, 19  
*Gentiana kochiana*, 19  
*Gentiana lutea*, 24  
*Gentiana pontica*, 19  
*Gentiana semtenfida*, 19  
*Giardia duodenalis*, 206–207  
*Ginkgo biloba*, 374  
*Glechon mawifolia*, 608, 613  
*Gleditsia japonica* var. *koraiensis*, 192  
*Glycine max*, 192  
*Glycyrrhiza glabra*, 139–141  
*Glycyrrhiza uralensis*, 192, 317, 331  
*Gochnatia orbiculata*, 606, 611  
*Gochnatia polymorpha*, 496, 606, 611  
*Gossypium barbadense*, 121  
*Grewia forbesii*, 552, 554–557  
*Griselinia ruscifolia*, 607, 612  
*Guatteria australis*, 605, 610  
*Guiera senegalensis*, 120  
*Gunnera magellanica*, 317  
*Gymnanthes concolor*, 607, 612  
*Gynura procumbens*, 405–410  
*Gypsophyla paniculata*, 256  
*Gyropsylla speggazziana*, 12  
  
*Harpullia cupanioides*, 254, 258, 261  
*Harungana madagascariensis*, 296  
*Hebeloma sinapizans*, 521  
*Hedychium spicatum*, 348  
*Heliotropum subalatum*, 581–586  
*Heliotropum zeylanicum*, 581  
*Helvella lacunosa*, 522  
*Herpes miliaris*, 96  
*Herpes simplex*, 125  
*Heteromorpha trifoliata*, 552, 554–557  
*Hippocratea indica*, 555–556  
*Hirtella hebeclada*, 607, 612  
*Hoffmansia peckii*, 609, 614  
*Hordeum vulgare*, 347  
*Hordeum vulgare* var. *hexastichon*, 192  
*Hoslundia opposita*, 555–556  
*Humiranthera rupestris*, 607, 613  
*Hybanthus enneaspermus*, 236, 238–242  
*Hydrocotyle bonariensis*, 605, 610  
*Hyperonima alchorneoides*, 607, 612  
*Hygrophorus poetarum*, 520, 522  
*Hymenocardia acida*, 120  
*Hymenoxis scaposa*, 92  
*Hypericum acutum*, 19  
  
*Hypericum androsaenum*, 19  
*Hypericum asperuloides*, 19  
*Hypericum atropatanum*, 19  
*Hypericum aucheri*, 19  
*Hypericum balearicum*, 295  
*Hypericum barbatum*, 294  
*Hypericum bithynicum*, 294  
*Hypericum brasiliense*, 294–295  
*Hypericum caprifoliatum*, 294–295  
*Hypericum carinatum*, 294–295  
*Hypericum connatum*, 294–295  
*Hypericum cordatum*, 294–295  
*Hypericum gentianoides*, 294  
*Hypericum glandulosum*, 294  
*Hypericum hirsutum*, 294  
*Hypericum humifusum*, 294  
*Hypericum karjagini*, 19  
*Hypericum maculatum*, 294  
*Hypericum montanum*, 294  
*Hypericum myrianthum*, 294–295  
*Hypericum olympicum*, 295  
*Hypericum perforatum*, 19, 294  
*Hypericum piriai*, 294–295  
*Hypericum polyanthemum*, 294–295  
*Hypericum polygonifolium*, 19  
*Hypericum scabrum*, 19  
*Hypericum tetrapterum*, 294  
*Hypericum theodori*, 19  
*Hypericum tomentosum*, 294  
*Hypholoma fasciculare*, 523  
*Hyptis heterodon*, 608, 613  
*Hyptis lagenaria*, 608, 613  
*Hyptis stricta*, 608, 613  
  
*Ibervillea sonorae*, 570–575  
*Ilex amara* var. *latifolia*, 5  
*Ilex argentina*, 2–14, 5  
*Ilex brevicuspis*, 2–14, 5  
*Ilex caaguazuensis*, 5  
*Ilex dumosa* var. *dumosa*, 2–14  
*Ilex dumosa* var. *gomezii*, 5  
*Ilex dumosa* var. *guaranina*, 2–14  
*Ilex dumosa* var. *montevideensis*, 5  
*Ilex dumosa* var. *mosenii*, 5  
*Ilex paraguarensis* var. *sincorensis*, 12  
*Ilex paraguariensis* var. *paraguariensis*, 2–14  
*Ilex theezans*, 2–14  
*Impatiens balsamina*, 18, 429  
*Impatiens grandulifera*, 18, 429  
*Impatiens herzogii*, 429  
*Impatiens noli-tangere*, 18  
*Impatiens pallida*, 429  
*Impatiens parviflora*, 429  
*Inga edulis*, 607, 612  
*Inula britannica* var. *chinensis*, 495  
*Inula helenium*, 193

- Inula racemosa*, 349  
*Iodina rhombifolia*, 609, 614  
*Iresine herbstii*, 274–293  
*Isoberlina doka*, 120
- Jatropha curcas*, 120  
*Jatropha gossypiifolia*, 450, 455  
*Jungia sellowii*, 606, 611  
*Juniperus communis*, 18–19  
*Juniperus foetidissima*, 18  
*Juniperus nana*, 18  
*Juniperus oblonga*, 18  
*Juniperus oxycedrus*, 18, 138  
*Juniperus pighmaea*, 18  
*Juniperus polycarpus*, 18  
*Juniperus sabina*, 18–19  
*Juniperus spp.*, 425  
*Justicia adhatoda*, 346–354  
*Justicia ciliata*, 206–207  
*Justicia extensa*, 206–207  
*Justicia flava*, 206–207  
*Justicia gendarussa*, 206–207  
*Justicia ghiesbregtiana*, 206–207  
*Justicia glauca*, 206–207  
*Justicia hyssopifolia*, 206–207  
*Justicia insularis*, 206–207  
*Justicia pectoralis*, 206–207  
*Justicia procumbens*, 206–207  
*Justicia prostrata*, 206–207  
*Justicia secunda*, 206–212  
*Justicia simplex*, 206–207  
*Justicia spicigera*, 206–207
- Kalanchoe spathulata*, 120  
*Karwinskia spp.*, 440  
*Khaya senegalensis*, 121  
*Kielmeyera coriacea*, 485–489  
*Kigelia africana*, 552, 554–557  
*Klebsiella pneumoniae*, 206, 208–210, 304–305, 426–427, 534–540, 587–589  
*Klebsiella spp.*, 482–483  
*Kluyveromyces fragilis*, 426–427  
*Krameria lappacea*, 139–141
- Laccaria amethystina*, 196–198  
*Laccaria laccata*, 196–198  
*Lactarius deliciosus*, 304–305  
*Lactarius deterrimus*, 304–305  
*Lactarius piperatus*, 304–305  
*Lactarius porninsis*, 522  
*Lactarius salmonicolor*, 304–305  
*Lactarius sanguifluus*, 304–305  
*Lactarius semisanguifluus*, 304–305  
*Lactobacillus plantarum*, 309  
*Laetiporus sulphureus*, 522  
*Lagenaria siceraria*, 120  
*Lamanonia ternata*, 607, 612  
*Lampaya medicinalis*, 318  
*Landolphia heudelotii*, 119  
*Langemannia gigantea*, 522  
*Lannea acida*, 119  
*Lannea coromandelica*, 125  
*Lannea microcarpa*, 119  
*Lannea schimperi*, 552, 554–557  
*Lannea velutina*, 119, 123–126  
*Lantana camara*, 235–243, 564–567  
*Laplacea fruticosa*, 609, 615  
*Laserpitium hispidum*, 17  
*Laserpitium latifolium*, 17  
*Laurus nobilis*, 272  
*Lavoisiera*, 542  
*Lavoisiera confertiflora*, 543–547  
*Lavoisiera cordata*, 543–547  
*Lawsonia inermis*, 121  
*Ledebouria seselooides*, 192  
*Leishmania infantum*, 56  
*Lentinellus cochleatus*, 520–521  
*Lentinus edodus*, 198  
*Leonotis mollissima*, 555–556  
*Lepechinia caulescens*, 574  
*Lepidium apetalum*, 189–190, 192, 194  
*Lepiota aspera*, 521  
*Lepista flaccida*, 196–199  
*Lepista inversa*, 196–199  
*Lepista luscina*, 523  
*Lepista nuda*, 196–198  
*Leptadenia hastata*, 119  
*Leucas zeylanica*, 235–242  
*Leucopaxillus giganteus*, 523  
*Ligustrum lucidum*, 331  
*Lindera strychnifolia*, 192  
*Listeria monocytogenes*, 269–272, 425–428  
*Lithraea brasiliensis*, 605, 610  
*Lonicera fuchsiioides*, 317  
*Lonicera japonica*, 192  
*Lophira lanceolata*, 121  
*Loranthus sp.*, 121  
*Luffa*, 574  
*Lychnophora*, 542  
*Lycium chinense*, 331  
*Lymnaea cubensis*, 452  
*Lymnaea luteola*, 450–455  
*Lyngbya majuscula*, 39  
*Lyophyllum connatum*, 518–519, 523  
*Lyophyllum decastes*, 523
- Machilus thunbergii*, 192  
*Macrosiphonia longiflora*, 605, 610  
*Madhuca indica*, 450–455  
*Maerua angolensis*, 119  
*Magnolia obovata*, 189–190, 194

- Mallotus philippensis*, 317  
*Malus*, 488  
*Manihot esculenta*, 120  
*Manikara multinervis*, 122  
*Marasmius*, 304  
*Marcezia*, 542  
*Marrubium alysson*, 247  
*Marrubium cyllellum*, 245–248  
*Marrubium friwaldskyanum*, 247  
*Marrubium peregrinum*, 247  
*Marrubium polydon*, 247  
*Marrubium supinum*, 247  
*Marrubium vulgare*, 247  
*Maugeotia* sp., 568–569  
*Maximowiczia sonorae*, 570  
*Maytenus boaria*, 607, 612  
*Maytenus cassiniformis*, 607, 612  
*Maytenus dasyclada*, 607, 612  
*Maytenus ilicifolia*, 607, 612  
*Maytenus robustus*, 607, 612  
*Maytenus senegalensis*, 119, 552, 554–557  
*Medicago sativa*, 253  
*Melanoleuca graminicola*, 523  
*Melilotus officinalis*, 139–141  
*Melothria*, 574  
*Melothria fluminensis*, 607, 612  
*Mentha arvensis*, 503  
*Meriphus giganteus*, 520, 522  
*Merulies*, 304  
*Mespilus*, 488  
*Micrococcus luteus*, 269–272, 423, 426–428, 461–464, 481–483, 534–546, 587–589  
*Micromeria*, 67  
*Microsporum gypseum*, 429  
*Mikania dentata*, 496, 606, 611  
*Mikania hirsutissima*, 496, 606, 611  
*Mikania minima*, 495  
*Mimusops* sp., 254, 261  
*Minthostachys mollis*, 317  
*Momordica*, 574  
*Momordica charantia*, 120, 501–507, 575  
*Momordica cochinchinensis*, 595  
*Momordica dioica*, 64  
*Momordica foetida*, 575  
*Morinda officinalis*, 331  
*Morinda tinctoria*, 237–242  
*Moringa concanensis*, 144  
*Moringa oleifera*, 121, 144–148, 552, 554–556  
*Morus alba*, 28, 192, 331  
*Mucuna pruriens*, 63–64  
*Murraya koenigii*, 63  
*Musa sapientum*, 165  
*Mutisia viciaefolia*, 317  
*Mycobacter phlei*, 236, 238–242  
*Mycobacterium smegmatis*, 269–272, 304–305, 587–589  
*Mycobacterium tuberculosis*, 568–569  
*Myrcia glabra*, 608, 614  
*Myrcianthes pseudo-mato*, 481–484  
*Myristica fragrans*, 24, 346–354  
*Myrocarpus frondosus*, 608, 613  
*Myrsine pellucida*, 253  
*Narcissus lactiflorus*, 17  
*Narcissus poeticus*, 17  
*Narcissus pseudonarcissus*, 16  
*Neisseria gonorrhoeae*, 125  
*Nelsonia canescens*, 119  
*Nelumbo nucifera*, 192, 318  
*Nematanthus strigillosus*, 543–547  
*Nigella sativa*, 596–602  
*Nitraria komarovii*, 19–20  
*Nitraria schoberi*, 19  
*Nyctanthes arbor-tristis*, 175  
*Nymphaea lotus*, 121  
*Ochna alboserrata*, 555–556  
*Ocimum*, 67  
*Ocimum basilicum*, 121  
*Ocimum sanctum*, 237–240, 503  
*Oldenlandia diffusa*, 175  
*Olea hochstetteri*, 555–556  
*Onopordon acanthum*, 18  
*Onopordon heteracanthum*, 18  
*Onopordon tauricum*, 18  
*Ophiopogon japonicus*, 331  
*Opilia celtidifolia*, 121  
*Opuntia dillenii*, 411–415  
*Opuntia ficus-indica*, 411  
*Opuntia megacantha*, 411  
*Orientobilharzia dattai*, 450  
*Origanum*, 67  
*Ormosia excelsa*, 608, 613  
*Oryza sativa*, 192, 331  
*Ostryoderris stuhlmannii*, 125  
*Oudemansiella mucida*, 520, 523  
*Ozoroa insignis*, 74–76, 552, 554–557  
*Pachyma hoelen*, 192  
*Pachystroma longifolium*, 607, 612  
*Paeonia japonica*, 192  
*Paeonia lactiflora*, 192  
*Paeonia lactiflora* var. *hortensis*, 192  
*Paepalanthus bromeloides*, 543–547  
*Panax ginseng*, 118, 192, 331, 595  
*Panax quinquefolius*, 331  
*Pantheria alaternoides*, 530  
*Pantheria bruynsii*, 526, 530, 532  
*Pantheria communis*, 530  
*Pantheria confusa*, 531  
*Pantheria elegans*, 531  
*Pantheria elliptica*, 531  
*Pantheria engleriana*, 531

- Pancheria ferruginea*, 531–532  
*Pancheria hirsuta*, 531  
*Pancheria obovata*, 531–532  
*Pancheria phylliraeoides*, 531  
*Pancheria reticulata*, 531–532  
*Pancheria sebertii*, 531  
*Pancheria vieillardii*, 531  
*Panellus stipticus*, 198  
*Papaver somniferus*, 139–141  
*Parawixia bistriata*, 472–477  
*Parkia biglobosa*, 120  
*Passiflora* “Adularia”, 86  
*Passiflora* “Amethyst”, 86  
*Passiflora* “Curiosa”, 86, 89  
*Passiflora* “Debby”, 86, 90  
*Passiflora* “Incense”, 87  
*Passiflora* “Sapphire”, 87–89  
*Passiflora* “St. Rule”, 87, 89  
*Passiflora* “Star of Clevedon”, 87, 89  
*Passiflora* “Sunburst”, 87–90  
*Passiflora*, 81–91  
*Passiflora actinia*, 87  
*Passiflora adenopoda*, 85  
*Passiflora alata* “Shannon”, 85  
*Passiflora alata*, 85, 89  
*Passiflora allantophylla*, 84, 90  
*Passiflora ambigua*, 85  
*Passiflora ampullacea*, 83, 85  
*Passiflora anfracta*, 83, 85  
*Passiflora auriculata*, 85  
*Passiflora biflora*, 85  
*Passiflora boenderi*, 85  
*Passiflora caerulea*, 84–85, 88–89  
*Passiflora capsularis*, 84–85  
*Passiflora cicinnata*, 87  
*Passiflora colinvauxii*, 85  
*Passiflora connattiana*, 87, 89  
*Passiflora coriacea*, 84–86, 88–89  
*Passiflora cuneata*, 85  
*Passiflora cuprea*, 85  
*Passiflora discophora*, 85  
*Passiflora dissipes*, 85  
*Passiflora edulis*, 81–82, 87–89  
*Passiflora edulis* var. *flavicarpa*, 89  
*Passiflora filipes*, 85, 90  
*Passiflora foetida*, 85, 90  
*Passiflora foetida* var. *gossipifolia*, 87  
*Passiflora foetida* var. *hibiscifolia*, 83, 86  
*Passiflora foetida* var. *onocensis*, 85  
*Passiflora garaynglia*, 86, 89  
*Passiflora gilberti*, 85  
*Passiflora gilbertiana*, 85, 88  
*Passiflora gracilis*, 85  
*Passiflora hahnii*, 85, 89  
*Passiflora helleri*, 87  
*Passiflora herbertiana*, 87  
*Passiflora holosericea*, 85, 89–90  
*Passiflora incarnata*, 81–83, 87, 90–91, 275–277, 281–283, 576–580  
*Passiflora jorullensis*, 86, 88, 90  
*Passiflora juliana*, 87  
*Passiflora laurifolia*, 85, 89–90  
*Passiflora ligularis*, 85  
*Passiflora lobata*, 85  
*Passiflora lutea*, 87  
*Passiflora macrophylla*, 85  
*Passiflora maliformis*, 85  
*Passiflora manicata*, 85, 90  
*Passiflora mayarum*, 85  
*Passiflora menispermifolia*, 85  
*Passiflora misera*, 86  
*Passiflora mollissima*, 86  
*Passiflora morifolia*, 86  
*Passiflora mucronata*, 86  
*Passiflora multiflora*, 87  
*Passiflora murucuja*, 85  
*Passiflora naviculata*, 86, 89  
*Passiflora obtusifolia*, 87  
*Passiflora oerstedii*, 86  
*Passiflora oerstedii* var. *choconiana*, 86  
*Passiflora penduliflora*, 86  
*Passiflora perfoliata*, 86  
*Passiflora phoenicia*, 86  
*Passiflora pilosicorona*, 86–87  
*Passiflora pinnatistipula*, 86  
*Passiflora platyloba*, 86–87  
*Passiflora punctata*, 86  
*Passiflora quadrangularis*, 86, 88–89  
*Passiflora quadrangularis*, 84  
*Passiflora quadrangularis*, 86, 89  
*Passiflora racemosa*, 86, 89  
*Passiflora resticulata*, 87  
*Passiflora rovirosae*, 86, 90  
*Passiflora rubra*, 84, 86  
*Passiflora sanguinolenta*, 87  
*Passiflora serratifolia*, 86–87, 89  
*Passiflora sexflora*, 87  
*Passiflora suberosa*, 87, 89  
*Passiflora subpeltata*, 87, 89  
*Passiflora tenuifila*, 86, 90  
*Passiflora tetrandra*, 87  
*Passiflora tricuspidata*, 86  
*Passiflora trisepta*, 86  
*Passiflora tryphostemmatoides*, 86  
*Passiflora tuberosa*, 86  
*Passiflora urbaniana*, 87  
*Passiflora vitifolia*, 84, 86–87, 89  
*Passiflora x belotii*, 86, 89  
*Passiflora x decaisneana*, 86, 89  
*Passiflora x exconiensis*, 86  
*Passiflora x kewensis*, 86  
*Passiflora x piresae*, 86, 89

- Passiflora x violacea*, 87, 89  
*Passiflora xiizodz*, 84, 86, 88  
*Passiflora yucatanensis*, 87  
*Paxillus atromentosus*, 522  
*Pennisetum pedicellatum*, 121  
*Perezia multiflora*, 317  
*Pergularia daemia*, 119  
*Perilla frutescens* var. *acuta*, 192  
*Perilla sikokiana*, 193  
*Persicaria lapathifolia*, 392  
*Petersianthus macrocarpus*, 253, 258  
*Peucedanum praeruptorum*, 189, 193–194  
*Phallusia* sp., 358–360  
*Phaseolus radiatus*, 193  
*Phellodendron amurense*, 193  
*Philanthus triangulum*, 476  
*Phillyrea* spp., 99  
*Philodendron cipoense*, 543–547  
*Philodendron minarum*, 543–547  
*Phlomis armeniaca*, 311  
*Phlomis fruticosa*, 311–314  
*Phoenix farnierii*, 238–240  
*Phoenix reclinata*, 119  
*Pholiota cerifera*, 523  
*Photinia*, 488  
*Phyllanthus guineensis*, 555–556  
*Phyllanthus reticulatus*, 120, 555–556  
*Phyllanthus sellowianus*, 607, 612  
*Phyllanthus* sp., 235–243  
*Physalis minima*, 237–242  
*Phytolacca acinosa*, 450–455  
*Phytolacca dodecandra*, 450–454  
*Picea* spp., 425  
*Picrasma quassioides*, 20, 363  
*Piliostigma thonningii*, 125  
*Pimenta dioica*, 200–205  
*Pinellia ternata*, 193  
*Pinus brutia*, 135–138  
*Pinus cembra*, 395–398  
*Pinus montana*, 395–397  
*Pinus nigra*, 138, 395–398, 425–427  
*Pinus nigra* var. *pyramidalis*, 425–428  
*Pinus pinaster*, 395–398  
*Pinus pinea*, 425  
*Pinus sylvestris*, 395–397, 425–428  
*Piper elongatum*, 318  
*Piper guineense*, 33  
*Piper longum*, 348, 353  
*Piptocarpha sellowii*, 496, 498, 606, 611  
*Piptoporus betulinus*, 522  
*Pisonia umbellifera*, 254, 259  
*Pityrosporum ovale*, 231–232  
*Plantago major*, 118, 126  
*Plasmodium falciparum*, 221–223  
*Platanus digrifolia*, 20  
*Platanus orientalis*, 20  
*Platycodon grandiflorum*, 193  
*Plectranthus barbatus*, 129  
*Plectranthus forskohlii*, 129  
*Pleurotus*, 304  
*Pleurotus ostreatus*, 198  
*Pluchea laxiflora*, 606, 611  
*Pluchea sagittalis*, 494, 496, 498–499, 606, 611  
*Plumbago auriculata*, 508–511  
*Plumbago capensis*, 508  
*Plumbago indica*, 508  
*Plumbago rosea*, 508–511  
*Plumbago zeylanica*, 180, 508–511  
*Plummera ambigens*, 92  
*Pluteus petasatus*, 522  
*Podaxon aegyptiacus*, 117, 121, 123–124  
*Polygala amara*, 139–141  
*Polygonatum odoratum*, 331  
*Polygonatum sibiricum*, 331  
*Polygonum chinense*, 318, 331  
*Polygonum filiforme*, 392  
*Polygonum hydropiper*, 392  
*Polygonum lapathifolium* ssp. *tomentosum*, 390–394  
*Polygonum nodosum*, 392  
*Polygonum salicifolium*, 392  
*Polypodium leuconotos*, 39  
*Polyporus squamosus*, 522  
*Polyporus umbellatus*, 193  
*Pongamia pinnata*, 171–174  
*Poria*, 304  
*Poria cocos*, 193  
*Portulaca oleracea*, 121  
*Posoqueria latifolia*, 609, 614  
*Premna herbacea*, 362, 367–368  
*Premna obtusifolia*, 362  
*Prinsepia uniflora*, 331  
*Propionibacterium acnes*, 231–233  
*Prosopsis africana*, 120  
*Proteus mirabilis*, 309, 482–483  
*Proteus vulgaris*, 206, 208–210, 304–305, 426–427,  
  587–589  
*Prunus mume*, 193  
*Prunus persica*, 193  
*Psacalium decompositum*, 574  
*Psacalium peltatum*, 574  
*Psathyrella*, 304  
*Pseudocydonia*, 488  
*Pseudomonas aeruginosa*, 123, 137, 206, 208–210,  
  235–242, 272, 304–305, 309, 423, 426–428, 485–488,  
  534–546, 587–589  
*Pseudomonas fluorescens*, 269–272, 426–427  
*Pseudomonas putida*, 461–464  
*Pseudostellaria heterophylla*, 331  
*Psidium guajava*, 121  
*Psoralea corylifolia*, 331  
*Psoralea glandulosa*, 317  
*Psorospermum febrifugum*, 296

- Psorospermum senegalese*, 119  
*Psychotria*, 336, 340  
*Psychotria carthagensis*, 609, 614  
*Psychotria colorata*, 336  
*Psychotria lapulina*, 609, 614  
*Psychotria leiocarpa*, 609, 614  
*Psychotria myriantha*, 609, 614  
*Psychotria sarmentosa*, 64  
*Psychotria suterella*, 609, 614  
*Psychotria umbellata*, 336–341  
*Psychotria brachypoda*, 336  
*Pterocarpus angolensis*, 123  
*Pterocarpus erinaceus*, 117, 120, 122–126  
*Pterocarpus lucens*, 120  
*Ptleopsis suberosa*, 120  
*Ptychopetalum olacoides*, 374–379  
*Punica granatum*, 555–556  
*Pyracantha*, 488
- Quassia amara*, 318  
*Quercus anatolica*, 19  
*Quercus araxina*, 19  
*Quercus castancifolia*, 19  
*Quercus crecifolia*, 19  
*Quercus crispata*, 19  
*Quercus iberica*, 19  
*Quercus ilex*, 19  
*Quercus longipes*, 19  
*Quercus macranthera*, 19–20  
*Quercus occidentalis*, 19  
*Quercus suber*, 19  
*Quillaja saponaria*, 175–176, 256  
*Quisqualis indica*, 193
- Ranunculus rionii*, 568–569  
*Raphanus sativus* var. *hortensis*, 193  
*Rehmannia glutinosa*, 193, 318, 331  
*Rhamnus frangula*, 139–141  
*Rhaphidophora decursiva*, 221–224  
*Rhaponticum uniflorum*, 317  
*Rheum officinale*, 318  
*Rheum palmatum*, 189  
*Rheum undulatum*, 193  
*Rhodotorula rubra*, 587–589  
*Rhychospora corymbosa*, 120  
*Ricinus communis*, 120, 552, 554–558  
*Rollinia exalbita*, 605  
*Rollinia rugulosa*, 605, 610  
*Rollinia salicifolia*, 605, 610  
*Rollinia silvatica*, 605, 610  
*Rosa atropatana*, 20  
*Rosa azerbaijanica*, 20  
*Rosa floribunda*, 20  
*Rosa komarovii*, 20  
*Rosa nizami*, 20  
*Rosa pomifera*, 20
- Rosa philipkoana*, 20  
*Rosa sachokiana*, 20  
*Rosa spinosissima*, 20  
*Rosa tuschetica*, 20  
*Rosmarinus*, 67  
*Rosmarinus officinalis*, 139–141, 269–272  
*Rothea serrata*, 362  
*Rozites caparatus*, 521  
*Rubus spp.*, 503  
*Rumex crispus*, 318  
*Rumex cuneifolius*, 318  
*Russula cyanoxantha*, 522  
*Russula delica*, 522  
*Russula fellea*, 522  
*Russula nigricans*, 523  
*Russula ochroleuca*, 523  
*Russula olivacea*, 523
- Saba senegalensis*, 119  
*Saccharomyces cerevisiae*, 304–305, 426–427, 534–546, 587–589  
*Salix taxifolia*, 561–563  
*Salmonella typhimurium*, 206, 208–210, 587–589  
*Salvia aethiopis*, 68  
*Salvia cryptantha*, 68  
*Salvia dracocephaloides*, 19  
*Salvia euphratica*, 68  
*Salvia glutinosa*, 68  
*Salvia grandiflora*, 19  
*Salvia hypargeia*, 19  
*Salvia lavandulaefolias*, 19  
*Salvia nutans*, 19  
*Salvia revoluta*, 317  
*Salvia sclarea*, 19  
*Salvia silvestris*, 19  
*Salvia vermifolia*, 67–69  
*Salvia verticillata*, 68  
*Salvia verticulata*, 19  
*Sansevieria iberiensis*, 119  
*Santalum album*, 346–354  
*Sapindus saponaria*, 452  
*Sapindus trifoliatus*, 450–455  
*Sapium glandulatum*, 607, 612  
*Sarcocephalus latifolius*, 122  
*Sarcodon imbricatus*, 523  
*Satureja*, 67  
*Saussurea lappa*, 348, 353  
*Scaptocosa raptoria*, 472–477  
*Schinus molle*, 317, 605, 610  
*Schinus weinmannifolius*, 605, 610  
*Schisandra chinensis*, 298–299  
*Schistisoma incognitum*, 450  
*Schistisoma nasale*, 450  
*Schistosoma haematobium*, 74  
*Schizaea pennula* var. *subtrijuga*, 609, 614  
*Schizonepeta tenuefolia* var. *japonica*, 193

- Scleranthus uncinatus*, 369–373  
*Scleroderma citrinum*, 523  
*Scrophularia*, 45–59  
*Scrophularia auriculata*, 46–55  
*Scrophularia auriculata* var. *pseudoauriculata*, 47  
*Scrophularia buergeriana*, 46–57  
*Scrophularia canina*, 46–55  
*Scrophularia frutescens*, 46–57  
*Scrophularia grossheimi*, 45–56  
*Scrophularia koelzii*, 46–57  
*Scrophularia ningpoensis*, 45–57  
*Scrophularia nodosa*, 45–56  
*Scrophularia oldhamii*, 45–55  
*Scrophularia sambucifolia*, 46–56  
*Scrophularia scopolii*, 46–55  
*Scrophularia scorodonia*, 46–55  
*Scutellaria baicalensis*, 193  
*Scutellaria lateriflora*, 270  
*Scutia buxifolia*, 608, 614  
*Securidaca longipedunculata*, 121, 552, 554–558  
*Securinega virosa*, 552, 554–558  
*Senecio brasiliensis*, 496, 606, 611  
*Senecio mathewssii*, 317  
*Senecio rhizomatus*, 317  
*Senna alata*, 461–465  
*Senna occidentalis*, 120  
*Serratia marcescens*, 309  
*Sesamum indicum*, 331  
*Sida acuta*, 237–241  
*Sida cordifolia*, 121  
*Sideritis*, 67  
*Sideritis balansae*, 19  
*Sideritis canariensis*, 19  
*Sideritis montana*, 19  
*Sideritis pusilla*, 139–141  
*Sideritis romana*, 19  
*Sideritis syriaca*, 19  
*Silybum marianum*, 70–73  
*Simaba cedron*, 609, 614  
*Simaba orinocensis*, 609, 614  
*Sinapis alba*, 193  
*Smelophyllum capense*, 254  
*Smilax campestris*, 318  
*Smilax regelii*, 139–141  
*Smyrnium creticum*, 17  
*Smyrnium olusatrum*, 17  
*Smyrnium perfoliatum*, 17  
*Solanum incanum*, 460, 555–556  
*Solanum nigrum*, 459  
*Solanum pseudocapsicum*, 456–460  
*Solanum sodamaeum*, 459  
*Solidago chilensis*, 497, 606, 611  
*Sonchus oleraceus*, 317  
*Sophora mooracrotiana*, 422–424  
*Sophora subprostata*, 317  
*Sorbus aucuparia*, 485, 488  
*Sorbus spp.*, 488  
*Sorghum spp.*, 121  
*Sparassis crispa*, 520, 523  
*Sparassis laminosa*, 523  
*Spermacoce verticillata*, 121  
*Sphenocentrum jollyanum*, 342–345  
*Spilanthes calva*, 237–240  
*Spodoptera littoralis*, 564–567  
*Spondias mombin*, 119, 233  
*Spyrogyra gratiana*, 568–569  
*Staphylococcus aureus*, 123, 125, 135–138, 206, 208–210,  
 231–233, 236–242, 269–272, 304–305, 309, 426–427,  
 461–464, 481–488, 520, 534–546, 587–588  
*Staphylococcus epidermidis*, 309, 482–483, 534–540  
*Staphylococcus faecalis*, 534–540  
*Staphylococcus hominis*, 309  
*Steganotaenia araliacea*, 253, 258  
*Stellaria graminea*, 18  
*Stellaria holostea*, 18  
*Stellaria media*, 18  
*Stellaria pallida*, 18  
*Stellaria persica*, 18  
*Stenachaenium riedelii*, 494, 497–499, 606, 611  
*Stereospermum kunthianum*, 117, 119, 122–126  
*Streptanthus polygaloides*, 236  
*Streptococcus pyogenes*, 135–138  
*Streptococcus thermophilus*, 269–272  
*Streptomyces tubercidicus*, 302  
*Striga densiflora*, 50  
*Striga lutea*, 503  
*Striga orabanchioides*, 503  
*Strophantus sarmentosus*, 119  
*Strychnos spinosa*, 555–557  
*Strychnos spp.*, 555–556  
*Stylosanthes fruticosa*, 120  
*Styrax acuminatus*, 609, 614  
*Suaeda altissima*, 18  
*Suaeda dendroides*, 18  
*Suaeda mycrophylla*, 18  
*Suaeda vermiculata*, 18  
*Suillus grevillei*, 521  
*Suregada zanzibariensis*, 553–556  
*Swartzia polypylla*, 608, 613  
*Swertia connata*, 19  
*Swertia iberica*, 19  
*Swertia mileensis*, 19  
*Symplocos celastrina*, 609, 614  
*Symplocos tetrandra*, 609, 615  
*Syzygium aromaticum*, 24, 346–354  
*Syzygium cumini*, 165, 237–242, 608, 614  
*Syzygium guineense*, 555–556  
*Tabebuia avellaneda*, 606  
*Tabebuia barbata*, 606, 612

- Tabebuia heptaphylla*, 606, 612  
*Tabebuia serratifolia*, 606, 612  
*Tacoma stans*, 606, 612  
*Tagetes minuta*, 497, 606, 611  
*Tagetes patula*, 400–404  
*Tamarindus indica*, 120, 317  
*Tanacetum canescens*, 18  
*Tanacetum parthenium*, 18  
*Tanacetum sibiricum*, 18  
*Tanacetum tabrissianum*, 18  
*Tanacetum tenuissimum*, 18  
*Tanacetum vulgare*, 18  
*Tarenna asiatica*, 237–240  
*Taxus baccata*, 197  
*Taxus brevifolia*, 603  
*Tephrosia purpurea*, 237–241  
*Tephrosia villosa*, 236–240  
*Terminalia australis*, 249  
*Terminalia avicennoides*, 120  
*Terminalia catappa*, 60–66, 249  
*Terminalia chebula*, 175, 346–354  
*Terminalia laxiflora*, 120  
*Terminalia macroptera*, 120  
*Terminalia mollis*, 555, 557  
*Terminalia triflora*, 249–252  
*Ternstroemia brasiliensis*, 609, 615  
*Teucrium stocksianum*, 216–220  
*Thuja orientalis*, 425–426, 428  
*Thuja plicata*, 427  
*Thymus*, 67  
*Tilapia nilotica*, 206–207  
*Tinospora cordifolia*, 175, 189–188  
*Toddalia asiatica*, 237–241  
*Tolypothrix byssoides*, 302  
*Trembleya laniflora*, 543–547  
*Trichilia dregeana*, 125  
*Trichilia elegans*, 125  
*Trichilia emetica*, 121, 123–126  
*Trichilia glabra*, 125  
*Trichilia lepidota*, 608, 613  
*Trichilia pallens*, 608, 613  
*Trichocereus pachanoi*, 274–276  
*Trichocereus peruvianus*, 275  
*Tricholoma*, 304  
*Tricholoma acerbum*, 196–199  
*Tricholoma equestre*, 196–198  
*Tricholoma fulvum*, 196–198  
*Tricholoma pardalotum*, 523  
*Tricholoma portentosum*, 196–198  
*Tricholoma saponaceum*, 196–198  
*Tricholoma sulfureum*, 196–199  
*Tricholoma ustale*, 196–198  
*Tricholoma virgatum*, 196–198, 523  
*Tricholomatales*, 196–199  
*Tricholomopsis rutilans*, 196–198  
*Trichomonas vaginalis*, 56  
*Trichophyton mentagrophytes*, 429  
*Trichophyton rubrum*, 429  
*Trichosanthes*, 574  
*Trichosanthes dioica*, 574  
*Trichosanthes kirilowii*, 193, 574  
*Tridesmostemon claessensi*, 253  
*Tripodanthus acutifolius*, 608, 613  
*Trixis verbasciformis*, 606, 611  
*Trypanosoma cruzi*, 520  
*Trypanosoma brucei*, 125  
*Tynnanthus elegans*, 606, 612  
*Ulmus macrocarpa*, 193  
*Ulmus pumila*, 189, 193–194  
*Urera baccifera*, 272  
*Urtica dioica*, 269–272  
*Urtica urens*, 92  
*Usnea florida*, 317  
*Vaccaria pyrimdata*, 450, 455  
*Vaccinium arctostaphylos*, 448–449  
*Valeriana adscendens*, 274–293  
*Valeriana alliariifolia*, 275  
*Valeriana coarctata*, 318  
*Valeriana officinalis*, 275–277, 281–283  
*Valeriana thalictroides*, 318  
*Vatareia guianensis*, 608, 613  
*Vellozia caruncularis*, 543–547  
*Vellozia piresiana*, 543–547  
*Verbascum bombyciferum*, 587–588  
*Verbascum densiflorum*, 587  
*Verbascum fructulosum*, 587  
*Verbascum olympicum*, 587–588  
*Verbascum phlomoides*, 587  
*Verbascum prusianum*, 587–589  
*Verbascum thapsus*, 587  
*Verbena officinalis*, 270  
*Vernonia amygdalina*, 497  
*Vernonia anthelmintica*, 497  
*Vernonia balansae*, 497, 606, 611  
*Vernonia cinerea*, 497  
*Vernonia colorata*, 119  
*Vernonia fasciculata*, 497  
*Vernonia hildebrandtii*, 555–557  
*Vernonia hymenolepsis*, 497  
*Vernonia kotschyana*, 117, 119  
*Vernonia muricata*, 497, 606, 611  
*Vernonia nudiflora*, 497, 606, 611  
*Vernonia tweediana*, 497, 606, 611  
*Vigna unguiculata*, 121, 343  
*Villaresia gongonha*, 607  
*Viscum album* var. *album*, 381  
*Viscum coloratum*, 331  
*Vitellaria paradoxa*, 122

- Vitex doniana*, 122  
*Vitex madiensis*, 122  
*Vocacanga africana*, 119  
*Volkameria serrata*, 362  
*Vriesea crassa*, 543–547  
  
*Waltheria indica*, 236  
*Weinmannia dichotoma*, 526, 530, 532  
*Weinmannia monticola*, 526, 530, 532  
*Withania somnifera*, 39, 41, 176, 180  
  
*Xanthium spinosum*, 317  
*Xanthomonas campestris*, 236  
*Xerocomus badius*, 520–521  
*Xeroderris stuhlmannii*, 121, 123–126  
*Ximenia americana*, 117, 121–124  
*Xylophia aethiopica*, 119  
*Xylosoma tweedianum*, 607, 613  
  
*Xyris cipoensis*, 543–547  
*Xyris longiscapa*, 543–547  
*Xyris peregrina*, 543–547  
*Xyris pilosa*, 543–547  
*Xyris platystachia*, 543–547  
*Xyris pterygoblephara*, 543–547  
*Xyris tortula*, 543  
  
*Yersinia enterocolitica*, 269–272  
  
*Zantha africana*, 555–556  
*Zanthoxylum chalybeum*, 553–558  
*Zanthoxylum schinifolium*, 193  
*Zingiber officinale*, 175, 193, 416–419  
*Ziziphus jujuba*, 149–153, 193, 331  
*Ziziphus mauretanica*, 121  
*Ziziphus oenoplia*, 237–242