



## Corrigendum

**To cite this article:** (2008) Corrigendum, Annals of Human Biology, 35:2, 256-257, DOI: [10.1080/03014460802057376](https://doi.org/10.1080/03014460802057376)

**To link to this article:** <https://doi.org/10.1080/03014460802057376>



Published online: 09 Jul 2009.



Submit your article to this journal [↗](#)



Article views: 204



View related articles [↗](#)

## Corrigendum

The authors would like to apologise for an error that occurred in the title page of *Annals of Human Biology*, July 2007; 34 (4): 437–453.

A corrected title page with the correct family name of the author is shown overleaf.

ORIGINAL ARTICLE

## Variability of reproductive history across the Swiss SAPALDIA cohort – Patterns and main determinants

JULIA DRATVA<sup>\*1</sup>, ELISABETH ZEMP<sup>1</sup>, PATRICIA STAEDELE<sup>1</sup>,  
CHRISTIAN SCHINDLER<sup>1</sup>, MICHAEL C. CONSTANZA<sup>4</sup>,  
MARGARET GERBASE<sup>2</sup>, NICOLE PROBST-HENSCH<sup>3</sup>,  
THIERRY ROCHAT<sup>4</sup>, URSULA ACKERMANN-LIEBRICH<sup>1</sup>, &  
THE SAPALDIA-TEAM

<sup>1</sup>Institute of Social and Preventive Medicine, University of Basel, Switzerland, <sup>2</sup>Molecular Epidemiology/Cancer Registry Zurich, Zurich, Institutes of Social and Preventative Medicine/Surgical Pathology, University of Zurich, Zurich, <sup>3</sup>Division of Pulmonary Medicine, University Hospital of Geneva, Geneva, and <sup>4</sup>Department of Internal Medicine, University of Geneva, Geneva, Switzerland

(Received 3 October 2006; revised 19 February 2007; accepted 22 March 2007)

### Abstract

**Background:** Reproductive characteristics play an aetiological role for many diseases, including reproductive cancers. They have been shown to vary internationally and nationally, but have not yet been described for the whole Swiss population.

**Aim:** The study investigated the variability of reproductive characteristics, their patterns, and main determinants across a population-based female study population in Switzerland.

**Methods:** Reproductive characteristics obtained from 3119 women (28–72 years) participating in the SAPALDIA cohort survey in 2001–2003 are described across birth cohorts, study areas, language regions, and levels of urbanization. Determinants of age at menopause were analysed by Cox regression.

**Results:** Reported median age at menarche was 13 years and median age at natural menopause was 52 years. The prevalence of nulliparity was 27%, and the fertility rate 1.6. Across birth cohorts there was a decline of menarcheal age and fertility rates, and an increase of nulliparity and age at last pregnancy. All characteristics varied across study areas, language regions, and levels of urbanization. Smoking, parity, and physical exercise were stronger predictors of earlier (<52 years) than older (>52 years) menopausal age.

**Conclusion:** Reproductive events show secular and geographic variation within Switzerland. Smoking, parity and physical activity significantly predict age at natural menopause, particularly before age 52. The secular trend of earlier menarche and increased nulliparity may result in a higher risk of reproductive cancers in younger generations.

**Keywords:** Menarche, menopause, fertility, reproductive history, epidemiology

---

Correspondence: Julia Dratva, Institute of Social and Preventive Medicine, Steinengraben 49, 4051 Basel, Switzerland.  
E-mail: julia.dratva@unibas.ch

ISSN 0301-4460 print/ISSN 1464-5033 online © 2007 Informa UK Ltd.  
DOI: 10.1080/03014460701365821