



Erratum

To cite this article: (2014) Erratum, Scandinavian Journal of Gastroenterology, 49:10, 1272-1272, DOI: [10.3109/00365521.2014.937117](https://doi.org/10.3109/00365521.2014.937117)

To link to this article: <https://doi.org/10.3109/00365521.2014.937117>



Published online: 10 Jul 2014.



Submit your article to this journal [↗](#)



Article views: 368



View related articles [↗](#)



View Crossmark data [↗](#)

Erratum

How to cannulate? A survey of the Scandinavian Association for Digestive Endoscopy (SADE) in 141 endoscopists

J. MATTHIAS LÖHR¹, LARS AABAKKEN², URBAN ARNELO¹, JUHA GRÖNROOS³, JORMA HALTTUNEN⁴, TRULS HAUGE⁵, EDUARD JONAS^{1,6}, PER M. KLEVELAND⁷, PALLE NORDBLAD SCHMIDT⁸, FREDRIK SWAHN¹, ARTO SAARELA⁹, ERVIN TOTH¹⁰ & SØREN MEISNER¹¹

¹Gastrocentrum Kirurgi, Karolinska Universitetssjukhuset, Stockholm, Sweden, ²Rikshospitalet, Oslo, Norway, ³Depart of Surgery, University of Turku, Finland, ⁴Department of Gastrointestinal and General Surgery, Helsinki University Central Hospital,

Helsinki, Finland, ⁵Department of Gastroenterology, Oslo University Hospital, Oslo, Norway, ⁶Danderyd Universitetssjukhuset, Stockholm, Sweden, ⁷Medisinsk avdeling, Regionsykehuset i Trondheim, Norway, ⁸Department of Gastroenterology, Hvidovre Hospital, Hvidovre, Denmark, ⁹Department of Gastrointestinal Surgery, Oulu University Hospital, Finland, ¹⁰Endoscopy Unit, Skåne University Hospital, Malmö, Sweden, and ¹¹Bispebjerg Hospital, Copenhagen, Denmark

Scandinavian Journal of Gastroenterology. 2012; 47: 861–869

It has been brought to our attention that an author's name was incorrectly spelled in the article. It was incorrectly spelled as Lars Aabaken and has been changed to Lars Aabakken